MesaRidge



TRAVEL TRAILERS & FIFTH WHEELS ADVENTURE: UNCHARTED









MF373RBS

STANDARDS

- » 100" Wide Body Frame
- » 76" x 27" Entrance & Screen Door
- » ACCU-SLIDE Slide System (42" Deep with 4-Corner Compression)
- » 15k Quiet Residential Return Air A/C
- » Nitrogen Filled Tires with Aluminum Rims
- » Frameless Windows
- » Aluminum Tread Entry Steps
- » No Carpet in Kitchen and Most Living Areas
- » Patent Flush Floor Slides with Vinyl Flooring (No Carpet)
- » PVC Roofing Membrane (15 Year Warranty/ Non-Prorated)
- » Power Awning with LED Light & FLX Guard
- » Heat & Massage Theatre Seats
- » Observation Camera Prep
- » Solar Prep

- » Pet Friendly
- » Key Alike System
- » Wall Controlled Power Vent (Kitchen)
- » Front & Rear Stabilizers
- » Washer/Dryer Prep
- » 100lb. Ball Bearing Drawer Guides
- » Ladder
- » Battery Disconnect
- » 84" Slide-Out Height (FW)
- » Night Roller Shades
- » Oven with Flush Glass Stove Top
- » 4 and 6 Point Auto Leveling with JT Strong Arm Stabilizers (FW)
- » French Door to Bedroom
- » Motion Sensor Light in Bedroom & Hallway
- » LED Lighting in Ceiling
- » Fiberglass Front Cap with LED Lights

OPTIONS

- » 13.5k BTU Ducted A/C (Master Bedroom)
- » BBQ Grill
- » Dual Pane Windows
- » Extreme Arctic Package
- » Fan Wall Control Power Vent in Kitchen, Living Room (370, 376)
- » Fireplace Wall Mount (310, 328)
- » King Bed ipo Std Queen Bed (N/A 376, 310)
- » Observation Camera
- » Power Front & Rear Stabilizer Jacks (TT)
- » Rear Storage Tray (TT)
- » Generator Prep LP (FW ONLY)
- » 18cu.-ft. RV Gas/Electric Refrigerator (N/A 310, 323, 324, 337), Residential 18cu. ipo 8cu (337, 310, 323, 324), - Residential 23cu. ipo 8cu (N/A 337,310, 323, 324)
- » TV Bunk Room (371), Outside Kitchen (310, 328, 374)
- » U-Lounge ipo Std. Theater Seats/Table (310, 328, 374, 376)
- » Slide-Out Awning Covers

SPECIFICATIONS

| | WR310BHS | MR323RLS | MR324RES | MR328BHS | MF313RKS | MF314RLS | MF337RLS | MF370RBS | MF371MBH | MF373RBS | MF374BHS | MR375RDS | MF376FBH | MR384RLS | MR427BHS |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Square Feet | 367 | 366 | 366 | 367 | 378 | 376 | 350 | 429 | 430 | 429 | 425 | 413 | 429 | 430 | 430 |
| UVW | 9265 | 8815 | 9320 | 9860 | 10625 | 10685 | 9657 | 12145 | 12505 | 12665 | 12300 | 12434 | 12015 | 12100 | 12800 |
| Hitch Weight | 1227 | 1081 | 1080 | 1280 | 1900 | 2136 | 2351 | 2640 | 2515 | 2680 | 2520 | 2680 | 2785 | 2545 | 2290 |
| GVWR | 11500 | 11435 | 11480 | 11300 | 13900 | 14130 | 12720 | 16470 | 16470 | 16680 | 16470 | 16680 | 16460 | 16545 | 16290 |
| Cargo (Gross) | 2235 | 2620 | 2160 | 1440 | 3275 | 3445 | 3063 | 4325 | 3965 | 4015 | 4170 | 4246 | 4445 | 4445 | 3490 |
| Length (Pin to Rear) | 37' 3" | 37′ 8″ | 37′ 8″ | 37'11" | 36' | 35'10" | 33' 8" | 42′ 5″ | 41′ 4″ | 41' 6" | 40′ 6″ | 42' 9" | 41' 11" | 39' 10" | 39' 6" |
| Ext. Height | 140" | 140" | 140" | 140" | 155" | 155" | 155" | 155" | 155" | 155" | 155" | 155" | 155" | 155" | 155" |
| Ext. Width | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 100" | 102" | 100" |
| Ext. Width (Slides Out) | 165" | 165" | 165" | 165" | 165" | 165" | 179" | 165" | 165" | 165" | 155" | 165" | 165" | 169" | 165" |
| Interior Height (Overall) | 84" | 84" | 84" | 84" | 98" | 98" | 98" | 98" | 98" | 98" | 98" | 98" | 98" | 100" | 100" |
| Interior Height (Upper Deck) | <u>-</u> | <u>-</u> | | <u>-</u> | 77" | 76" | 76" | 76" | 76" | 77" | 76" | 77" | 76" | 77" | 78" |
| Fresh Water (Gal.) | 50 | 50 | 50 | 50 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 | 85 |
| Gray Water (Gal.) | 62 | 114 | 114 | 82 | 82 | 57 | 57 | 82 | 114 | 82 | 98 | 82 | 98 | 82 | 82 |
| Waste Water (Gal.) | 31 | 31 | 31 | 82 | 41 | 41 | 41 | 41 | 41 | 82 | 82 | 41 | 82 | 41 | 82 |
| LP Capacity (lbs.) | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Tire Size | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" | 16" |
| Awning Size | 19' | 15′ | 15′ | 11', 9' | 16', 11' | 16' | 16′ | 18', 12' | 19′ | 14', 16' | 16', 11' | 20' | 19′ | 19' | 16', 12' |

1 SLIDE OUTS

- » Best in class slide height and depth
- » Flush floor slides with linoleum
- » Accu-Slide cable system with four points of compression
- » Laminate components plus 3M flashing tape along corners to prevent leaks

4 FLOORS

- » Double-welded framed floors
- » Insulated with rigid foam wrapped in radiant foil, anti-puncture moisture barrier woven underbelly material, and strengthened with an overlapping double layer of laminate

2 DOORS & LOCKS

- » Oversize entrance door with large window, built-in screen doors, and integrated window shades
- » Double-insulated passage and storage doors with slam latches on secure and convenient key-alike system

5 SIDEWALLS

- » Lightweight, double-welded aluminum walls
- » Slide roof frames laminated with rigid foam insulation

3 ROOF

- » Double batten insulation layered with radiant foil
- » Screw-mounted plywood decking topped with premium quality PVC
- » No treatment required! Will not chalk or spot
- » Heat reflecting properties keep coach cooler in the summer

6 MAIN BODY

- » Built with 8" & 10" steel I-beams
- » 6.000 & 7.000 lb. axles
- » Aluminum wheels with nitrogen-filled tires



7 INDUSTRY-LEADING HEATING SYSTEM

Oversize 4-inch heat ducts run from the furnace down to the fully enclosed underbelly and wrap around the tanks suspended between the chassis l-beams. Holding tanks are warmed by the forced air heat which prevents freeze-ups.

A return at the end of the tank connecting back into the coach provides the necessary air flow.



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize the RV industry and it's why our products are 10 - 15% lighter than the competition.



Our Pet Friendly units offer linoleum throughout the main living areas, and no floor registers.



We put our products into a zero degree chamber for five hours with thermometers placed in key areas throughout the unit. The results speak for themselves.

Your Mesa Ridge Dealer:



Own the Outdoors

For more information visit us at: www.HighlandRidgeRV.com

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in the literature. Some items shown are not included as standard or optional equipment.